

B.PHARM I YEAR II SEM (R23) REGULAR SUPPLEMENTARY EXAMINATIONS, AUGUST/SEPTEMBER 2026

HT No	HAP-II (23BP201T)				POC-I (23BP202T)				BIOCH (23BP203T)				CAP (23BP204T)				EVS (23BP205T)				SPP (23BP206T)				HAP-II LAB (23BP201P)				POC-I LAB (23BP202P)				BIOCH LAB (23BP203P)				CAP LAB (23BP204P)				TOTAL	RESULT	%	RANK
	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr								
24M71R0005	29	62	91	S	29	43	72	B	29	45	74	B	29	54	83	A	30	58	88	A	28	60	88	A	29	67	96	S	28	66	94	S	25	68	93	S	28	66	94	S	873	PASS	87.30	6
25M71R0001	29	56	85	A	29	51	80	A	26	59	85	A	29	42	71	B	30	45	75	B	28	50	78	B	29	63	92	S	27	65	92	S	28	65	93	S	29	68	97	S	848	PASS	84.80	15
25M71R0002	26	44	70	B	29	42	71	B	24	44	68	C	28	60	88	A	30	56	86	A	27	55	82	A	26	59	85	A	23	61	84	A	28	62	90	S	27	62	89	A	813	PASS	81.30	26
25M71R0003	26	54	80	A	29	51	80	A	25	55	80	A	28	45	73	B	29	55	84	A	20	60	80	A	25	60	85	A	24	62	86	A	27	61	88	A	27	67	94	S	830	PASS	83.00	17
25M71R0004	14	29	43	E	14	15	29	F	18	32	50	D	24	36	60	C	24	41	65	C	22	58	80	A	24	50	74	B	23	44	67	C	24	56	80	A	24	59	83	A	631	FAIL	63.10	81
25M71R0005	24	45	69	C	23	25	48	E	18	32	50	D	24	41	65	C	27	46	73	B	23	56	79	B	24	50	74	B	23	43	66	C	24	56	80	A	25	62	87	A	691	PASS	69.10	70
25M71R0006	18	38	56	D	24	32	56	D	20	34	54	D	22	43	65	C	28	48	76	B	21	60	81	A	24	51	75	B	27	60	87	A	24	54	78	B	24	61	85	A	713	PASS	71.30	63
25M71R0007	29	54	83	A	29	51	80	A	27	58	85	A	28	61	89	A	30	58	88	A	27	60	87	A	28	61	89	A	28	65	93	S	29	60	89	A	28	68	96	S	879	PASS	87.90	4
25M71R0008	30	60	90	S	29	52	81	A	28	61	89	A	29	55	84	A	30	65	95	S	27	53	80	A	28	66	94	S	27	66	93	S	27	62	89	A	28	66	94	S	889	PASS	88.90	3
25M71R0009	27	58	85	A	29	35	64	C	25	46	71	B	26	45	71	B	29	49	78	B	26	46	72	B	26	59	85	A	27	62	89	A	26	61	87	A	26	66	92	S	794	PASS	79.40	32
25M71R0010	26	42	68	C	29	34	63	C	22	50	72	B	26	49	75	B	27	44	71	B	25	54	79	B	26	57	83	A	28	66	94	S	25	63	88	A	26	63	89	A	782	PASS	78.20	34
25M71R0011	26	42	68	C	23	29	52	D	18	37	55	D	25	39	64	C	29	53	82	A	24	54	78	B	27	60	87	A	24	42	66	C	24	59	83	A	27	65	92	S	727	PASS	72.70	60
25M71R0012	28	56	84	A	29	41	70	B	25	52	77	B	28	43	71	B	30	49	79	B	26	58	84	A	27	60	87	A	27	59	86	A	28	59	87	A	27	60	87	A	812	PASS	81.20	27
25M71R0013	28	60	88	A	28	32	60	C	27	39	66	C	28	38	66	C	27	45	72	B	26	60	86	A	25	57	82	A	26	55	81	A	27	62	89	A	26	61	87	A	777	PASS	77.70	39
25M71R0014	24	46	70	B	29	36	65	C	23	29	52	D	25	39	64	C	30	46	76	B	26	60	86	A	26	57	83	A	27	66	93	S	25	62	87	A	27	64	91	S	767	PASS	76.70	42
25M71R0015	24	55	79	B	28	36	64	C	21	33	54	D	26	44	70	B	29	49	78	B	25	54	79	B	26	56	82	A	24	63	87	A	24	57	81	A	27	64	91	S	765	PASS	76.50	43
25M71R0016	28	60	88	A	28	42	70	B	25	35	60	C	27	53	80	A	30	63	93	S	26	60	86	A	28	59	87	A	28	67	95	S	27	63	90	S	27	63	90	S	839	PASS	83.90	16
25M71R0017	16	27	43	E	20	10	30	F	15	14	29	F	19	25	44	E	21	43	64	C	16	47	63	C	24	49	73	B	23	43	66	C	23	52	75	B	24	56	80	A	567	FAIL	56.70	86
25M71R0018	21	46	67	C	23	29	52	D	18	26	44	E	24	58	82	A	30	58	88	A	24	54	78	B	26	50	76	B	27	53	80	A	24	58	82	A	27	66	93	S	742	PASS	74.20	53
25M71R0019	29	45	74	B	27	33	60	C	24	60	84	A	28	50	78	B	29	58	87	A	26	61	87	A	28	58	86	A	27	60	87	A	27	64	91	S	25	63	88	A	822	PASS	82.20	19
25M71R0020	27	53	80	A	29	49	78	B	26	57	83	A	28	49	77	B	29	63	92	S	25	60	85	A	28	58	86	A	28	66	94	S	27	61	88	A	28	66	94	S	857	PASS	85.70	9
25M71R0021	23	49	72	B	25	32	57	D	23	37	60	C	26	46	72	B	30	33	63	C	25	53	78	B	28	55	83	A	25	55	80	A	27	57	84	A	25	65	90	S	739	PASS	73.90	56
25M71R0022	21	39	60	C	28	29	57	D	20	44	64	C	27	41	68	C	26	18	44	F	23	54	77	B	26	51	77	B	25	59	84	A	25	53	78	B	25	61	86	A	695	FAIL	69.50	67
25M71R0023	22	50	72	B	24	27	51	D	22	38	60	C	22	28	50	D	24	38	62	C																								

B.PHARM I YEAR II SEM (R23) REGULAR SUPPLEMENTARY EXAMINATIONS, AUGUST/SEPTEMBER 2026

HT No	HAP-II (23BP201T)				POC-I (23BP202T)				BIOCH (23BP203T)				CAP (23BP204T)				EVS (23BP205T)				SPP (23BP206T)				HAP-II LAB (23BP201P)				POC-I LAB (23BP202P)				BIOCH LAB (23BP203P)				CAP LAB (23BP204P)				TOTAL	RESULT	%	RANK
	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr				
25M71R0062	25	50	75	B	27	28	55	D	25	51	76	B	24	49	73	B	30	52	82	A	26	60	86	A	24	53	77	B	26	54	80	A	18	59	77	B	24	66	90	S	771	PASS	77.10	40
25M71R0063	22	41	63	C	27	29	56	D	20	35	55	D	25	50	75	B	30	42	72	B	25	49	74	B	26	57	83	A	24	50	74	B	22	59	81	A	24	67	91	S	724	PASS	72.40	61
25M71R0064	29	58	87	A	29	49	78	B	28	46	74	B	28	55	83	A	30	51	81	A	27	61	88	A	29	66	95	S	26	61	87	A	25	66	91	S	28	67	95	S	859	PASS	85.90	8
25M71R0065	29	60	89	A	30	49	79	B	28	59	87	A	29	63	92	S	30	66	96	S	28	63	91	S	29	68	97	S	27	61	88	A	25	67	92	S	28	68	96	S	907	PASS	90.70	1
25M71R0067	26	50	76	B	26	32	58	D	24	50	74	B	22	40	62	C	29	47	76	B	16	47	63	C	27	55	82	A	22	49	71	B	20	61	81	A	27	65	92	S	735	PASS	73.50	57
25M71R0068	21	39	60	C	15	27	42	E	22	40	62	C	23	48	71	B	25	42	67	C	21	42	63	C	25	55	80	A	21	48	69	C	19	62	81	A	24	64	88	A	683	PASS	68.30	74
25M71R0069	27	47	74	B	25	33	58	D	23	39	62	C	23	34	57	D	30	51	81	A	27	46	73	B	28	63	91	S	24	43	67	C	22	62	84	A	27	67	94	S	741	PASS	74.10	55
25M71R0071	26	59	85	A	28	39	67	C	28	51	79	B	25	49	74	B	30	62	92	S	26	55	81	A	26	65	91	S	27	44	71	B	25	63	88	A	27	63	90	S	818	PASS	81.80	23
25M71R0072	26	51	77	B	28	36	64	C	25	35	60	C	26	42	68	C	30	57	87	A	25	46	71	B	27	60	87	A	27	43	70	B	21	57	78	B	27	66	93	S	755	PASS	75.50	48
25M71R0073	22	30	52	D	22	30	52	D	19	24	43	F	22	25	47	E	28	53	81	A	20	56	76	B	25	55	80	A	22	63	85	A	20	54	74	B	20	63	83	A	673	FAIL	67.30	75
25M71R0074	24	38	62	C	23	33	56	D	20	36	56	D	23	44	67	C	30	42	72	B	23	56	79	B	26	60	86	A	27	42	69	C	21	59	80	A	22	64	86	A	713	PASS	71.30	63
25M71R0075	23	39	62	C	23	30	53	D	21	37	58	D	23	45	68	C	29	29	58	D	24	54	78	B	25	56	81	A	23	48	71	B	20	56	76	B	23	63	86	A	691	PASS	69.10	70
25M71R0076	27	58	85	A	29	44	73	B	27	58	85	A	28	54	82	A	30	66	96	S	26	60	86	A	25	59	84	A	25	64	89	A	24	60	84	A	25	65	90	S	854	PASS	85.40	12
25M71R0077	23	32	55	D	26	29	55	D	21	30	51	D	23	28	51	D	29	57	86	A	24	54	78	B	26	58	84	A	23	52	75	B	22	57	79	B	25	66	91	S	705	PASS	70.50	66
25M71R0078	27	62	89	A	29	35	64	C	28	54	82	A	27	55	82	A	30	62	92	S	26	57	83	A	28	63	91	S	24	62	86	A	24	62	86	A	27	67	94	S	849	PASS	84.90	14
25M71R0080	23	39	62	C	24	28	52	D	17	26	43	E	20	41	61	C	29	54	83	A	22	41	63	C	26	59	85	A	24	48	72	B	24	59	83	A	23	62	85	A	689	PASS	68.90	72
25M71R0081	26	58	84	A	24	37	61	C	26	61	87	A	24	43	67	C	30	58	88	A	26	56	82	A	26	58	84	A	27	46	73	B	24	60	84	A	24	63	87	A	797	PASS	79.70	31
25M71R0082	28	57	85	A	27	47	74	B	27	58	85	A	26	60	86	A	30	55	85	A	27	61	88	A	28	65	93	S	25	57	82	A	23	63	86	A	26	65	91	S	855	PASS	85.50	11
25M71R0083	25	51	76	B	25	36	61	C	24	45	69	C	24	52	76	B	30	53	83	A	25	58	83	A	26	57	83	A	25	61	86	A	23	58	81	A	23	63	86	A	784	PASS	78.40	33
25M71R0084	26	56	82	A	24	28	52	D	27	47	74	B	27	50	77	B	30	62	92	S	19	63	82	A	26	57	83	A	21	66	87	A	23	62	85	A	23	62	85	A	799	PASS	79.90	30
25M71R0085	4	25	29	F	3	12	15	F	9	9	18	F	15	25	40	E	25	43	68	C	18	53	71	B	10	0	10	F	-	0	0	F	8	0	8	F	12	0	12	F	271	FAIL	27.10	90
25M71R0086	27	57	84	A	29	42	71	B	28	60	88	A	27	59	86	A	30	61	91	S	28	62	90	S	28	57	85	A	25	64	89	A	24	56	80	A	26	67	93	S	857	PASS	85.70	9
25M71R0087	24	50	74	B	23	17	40	F	23	26	49	E	24	25	49	E	29	47	76	B	23	53	76	B	24	53	77	B	22	41	63	C	20	56	76	B	26	67	93	S	673	FAIL	67.30	75
25M71R0088	28	61	89	A	30	50	80	A	29	63	92	S	29	63	92	S	30	62	92	S	28	63	91	S	29	61	90	S	26	65	91	S	26	66	92	S	26	67	93	S	902	PASS	90.20	2
25M71R0089	26	54	80	A	28	38	66	C	27	58	85	A	27	47	74	B	30	53	83	A	25	52	77	B	28	56	84	A	27	61	88	A	24	62	86	A	26	62	88	A	811	PASS	81.10	28
25M71R0090	28	57	85	A	29	40	69	C	28	52	80	A	28	52	80	A	30	51	81	A	26	55	81	A	25	57	82	A	25	62	87	A	22	62	84	A	27	63	90	S	819	PASS	81.90	22
25M71R0091	23	46	69	C	24	31	55	D	24	60	84	A	23	39	62	C	29	52	81	A	25	55	80	A	25	55	80	A	23	46	69	C	19	60	79	B	26	64	90	S	749	PASS	74.90	50
25M71R0092	27	63	90	S	29	45	74	B	28	53	81	A	28	59	87	A	30	59	89	A	27	61	88	A	25	56	81	A	25	62	87	A	23	62	85	A	25	66	91	S	853	PASS	85.30	13
25M71R0093	29	61	90	S	29	44	73	B	29	53	82	A	28	57	85	A	30	62	92	S	26	62	88	A	29	63	92	S	26	65	91	S	23	68	91	S	26	67	93	S	877	PASS	87.70	5
25M71R0094	25	56	81	A	27	25	52	D	25	36	61	C	22	43	65	C	27	50	77	B	23	56	79	B	25	60	85	A	24	61	85	A	19	55	74	B	22	61	83	A	742	PASS	74.20	53
25M71R0095	28	47	75	B	27	31	58	D	26	26	52	D	24	47	71	B	30	45	75	B	26	63	89	A	27	61	88	A	24	62	86	A	24	58	82	A	27	61						

Subject Code	Subject Name	R	A	P	F	%
23BP201T	Human Anatomy and Physiology-II	91	91	86	5	94.51
23BP202T	Pharmaceutical Organic Chemistry-I	91	91	79	12	86.81
23BP203T	Biochemistry	91	91	83	8	91.21
23BP204T	Computer Applications in Pharmacy	91	91	86	5	94.51
23BP205T	Environmental Sciences	91	91	84	7	92.31
23BP206T	Social and Preventive Pharmacy	91	91	90	1	98.9
23BP201P	Human Anatomy and Physiology-II Lab	91	91	89	2	97.8
23BP202P	Pharmaceutical Organic Chemistry-I Lab	91	91	88	3	96.7
23BP203P	Biochemistry Lab	91	91	89	2	97.8
23BP204P	Computer Applications in Pharmacy Lab	91	91	89	2	97.8

B.PHARM I YEAR II SEM (R23) REGULAR SUPPLEMENTARY EXAMINATIONS, AUGUST/SEPTEMBER 2026


HT No	HAP-II (23BP201T)				POC-I (23BP202T)				BIOCH (23BP203T)				CAP (23BP204T)				EVS (23BP205T)				SPP (23BP206T)				HAP-II LAB (23BP201P)				POC-I LAB (23BP202P)				BIOCH LAB (23BP203P)				CAP LAB (23BP204P)				TOTAL	RESULT	%	RANK
	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr								
23M71R0083	14	0	14	Ab	-	-	-	-	-	-	-	-	-	-	-	-	17	0	17	Ab	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	FAIL	3.10				
23M71R0088	-	-	-	-	12	6	18	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	FAIL	1.80				
24M71R0008	-	-	-	-	21	20	41	F	18	14	32	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73	FAIL	7.30			
24M71R0089	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	44	69	C	18	61	79	B	24	54	78	B	22	50	72	B	298	PASS	29.80	
Registered				1				2				1								1			0				1				1				1				1		4			
Absent				1				0				0								1			0				0				0				0				0		0			
Appeared				0				2				1								0			0				1				1				1				1		4			
Failed				0				2				1								0			0				0				0				0				0		3			
Passed				0				0				0								0			0				1				1				1				1		1			
Pass Percentage				0.0				0.0				0.0								0.0			####				100.0				100.0					100.0				100.0		25.0		

Subject Code	Subject Name	R	A	P	F	%
23BP201T	Human Anatomy and Physiology-II	1	0	0	0	0
23BP202T	Pharmaceutical Organic Chemistry-I	2	2	0	2	0
23BP203T	Biochemistry	1	1	0	1	0
23BP205T	Environmental Sciences	1	0	0	0	0
23BP201P	Human Anatomy and Physiology-II Lab	1	0	1	0	100
23BP202P	Pharmaceutical Organic Chemistry-I Lab	1	0	1	0	100
23BP203P	Biochemistry Lab	1	0	1	0	100
23BP204P	Computer Applications in Pharmacy Lab	1	0	1	0	100

R: Registered; A: Appeared; P: Pass; F: Fail

Verified and approved for declaration and publication of results


 CONTROLLER OF EXAMINATIONS


 PRINCIPAL


 UNIVERSITY NOMINEE