

ANNAMACHARYA COLLEGE OF PHARMACY :: AUTONOMOUS:: RAJAMPET
B.PHARM I YEAR IISEM (R23), REGULAR/SUPPLEMENTARY EXAMINATIONS, SEPTEMBER/OCTOBER 2025

HT No	HAP-II (23BP201T)				POC-I (23BP202T)				BIOCHEM (23BP203T)				CAP (23BP204T)				EVS (23BP205T)				SPP (23BP206T)				HAP-II LAB (23BP201P)				POC-I LAB (23BP202P)				BIOCH LAB (23BP203P)				CAP LAB (23BP204P)				RESULT	%	SGPA
	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot								
23M71R0020	10	30	40	Pass	-	-	-		16	25	41		-	-	-		-	-	-		-	-	-		-	-	-		-	-	-		-	-	-		PASS						
23M71R0090	29	56	85	Pass	28	63	91	Pass	29	62	91	Pass	29	51	80	Pass	24	57	81	Pass	29	48	77	Pass	27	63	90	Pass	22	64	86	28	65	93	28	66	94	PASS	86.80	9.37			
24M71R0001	28	40	68	Pass	25	40	65	Pass	25	42	67	Pass	22	32	54	Pass	25	48	73	Pass	25	39	64	Pass	26	55	81	Pass	22	60	82	25	62	87	28	53	81	PASS	72.20	7.42			
24M71R0002	24	29	53	Pass	23	38	61	Pass	24	42	66	Pass	18	39	57	Pass	20	42	62	Pass	18	33	51	Pass	26	58	84	Pass	18	50	68	22	58	80	25	52	77	PASS	65.90	6.90			
24M71R0003	28	49	77	Pass	30	43	73	Pass	28	58	86	Pass	27	44	71	Pass	27	57	84	Pass	24	41	65	Pass	28	59	87	Pass	26	63	89	26	65	91	25	60	85	PASS	80.80	8.40			
24M71R0004	27	44	71	Pass	24	39	63	Pass	27	38	65	Pass	21	38	59	Pass	27	52	79	Pass	17	37	54	Pass	27	51	78	Pass	20	60	80	24	64	88	24	53	77	PASS	71.40	7.35			
24M71R0006	25	40	65	Pass	27	52	79	Pass	26	52	78	Pass	24	45	69	Pass	26	50	76	Pass	23	39	62	Pass	27	61	88	Pass	20	58	78	25	56	81	23	56	79	PASS	75.50	7.73			
24M71R0007	29	60	89	Pass	30	60	90	Pass	29	64	93	Pass	28	52	80	Pass	28	57	85	Pass	24	60	84	Pass	29	65	94	Pass	26	67	93	27	68	95	28	66	94	PASS	89.70	9.54			
24M71R0008	15	26	41	Pass	21	19	40	Fail	18	8	26	Fail	18	27	45	Pass	19	34	53	Pass	16	39	55	Pass	15	44	59	Pass	17	52	69	21	56	77	22	48	70	FAIL	53.50	6.03			
24M71R0009	25	41	66	Pass	24	33	57	Pass	25	42	67	Pass	19	31	50	Pass	23	40	63	Pass	19	40	59	Pass	26	50	76	Pass	19	55	74	20	57	77	21	56	77	PASS	66.60	6.85			
24M71R0010	27	46	73	Pass	26	41	67	Pass	29	59	88	Pass	28	45	73	Pass	25	41	66	Pass	26	47	73	Pass	27	62	89	Pass	24	63	87	26	68	94	28	61	89	PASS	79.90	8.21			
24M71R0011	29	40	69	Pass	29	58	87	Pass	27	63	90	Pass	26	42	68	Pass	27	62	89	Pass	29	42	71	Pass	29	60	89	Pass	25	68	93	27	64	91	26	61	87	PASS	83.40	8.62			
24M71R0013	27	42	69	Pass	29	40	69	Pass	26	53	79	Pass	25	44	69	Pass	26	54	80	Pass	27	46	73	Pass	28	60	88	Pass	22	62	84	25	62	87	26	63	89	PASS	78.70	7.88			
24M71R0014	25	26	51	Pass	23	29	52	Pass	23	38	61	Pass	18	31	49	Pass	25	48	73	Pass	20	34	54	Pass	24	57	81	Pass	18	53	71	21	52	73	22	38	60	PASS	62.50	6.65			
24M71R0015	29	53	82	Pass	30	60	90	Pass	29	65	94	Pass	28	53	81	Pass	29	62	91	Pass	29	46	75	Pass	29	62	91	Pass	28	68	96	27	68	95	27	66	93	PASS	88.80	9.50			
24M71R0016	29	48	77	Pass	30	57	87	Pass	29	59	88	Pass	28	54	82	Pass	28	60	88	Pass	27	49	76	Pass	29	64	93	Pass	27	68	95	27	68	95	28	66	94	PASS	87.50	8.96			
24M71R0017	27	35	62	Pass	23	36	59	Pass	25	32	57	Pass	23	38	61	Pass	24	47	71	Pass	22	41	63	Pass	28	58	86	Pass	21	59	80	25	61	86	25	60	85	PASS	71.00	7.23			
24M71R0018	16	26	42	Pass	16	28	44	Pass	19	32	51	Pass	17	32	49	Pass	22	25	47	Pass	19	37	56	Pass	24	46	70	Pass	10	54	64	17	51	68	11	36	47	PASS	53.80	5.67			
24M71R0019	23	32	55	Pass	21	31	52	Pass	27	44	71	Pass	19	36	55	Pass	22	26	48	Pass	23	40	63	Pass	24	57	81	Pass	20	57	77	24	58	82	23	55	78	PASS	66.20	6.92			
24M71R0020	28	38	66	Pass	24	39	63	Pass	24	41	65	Pass	21	28	49	Pass	22	28	50	Pass	21	40	61	Pass	28	62	90	Pass	10	58	68	25	65	90	26	60	86	PASS	68.80	7.15			
24M71R0021	27	46	73	Pass	28	34	62	Pass	27	58	85	Pass	22	38	60	Pass	25	62	87	Pass	25	42	67	Pass	28	56	84	Pass	20	63	83	24	63	87	26	61	87	PASS	77.50	8.08			
24M71R0022	14	14	28	Fail	15	7	22	Fail	13	32	45	Pass	11	30	41	Pass	17	33	50	Pass	10	32	42	Pass	21	38	59	Pass	15	51	66	17	47	64	21	38	59	FAIL	47.60	5.61			
24M71R0023	29	31	60	Pass	28	35	63	Pass	28	51	79	Pass	21	41	62	Pass	26	61	87	Pass	23	33	56	Pass	27	49	76	Pass	24	63	87	24	65	89	26	51	77	PASS	73.60	7.54			
24M71R0024	22	28	50	Pass	25	34	59	Pass	24	40	64	Pass	20	40	60	Pass	17	53	70	Pass	19	38	57	Pass	27	52	79	Pass	19	56	75	21	49	70	20	35	55	PASS	63.90	6.77			
24M71R0025	10	14	24	Fail	6	2	8	Fail	20	47	67	Pass	12	16	28	Fail	13	46	59	Pass	18	30	48	Pass	22	40	62	Pass	17	51	68	19	45	64	18	32	50	FAIL	47.80	6.37			
24M71R0026	20	36	56	Pass	26	35	61	Pass	24	28	52	Pass	15	31	46	Pass	17	44	61	Pass	18	34	52	Pass	27	46	73	Pass	20	58	78	23	50	73	24	52	76	PASS	62.80	6.58			
24M71R0027	29	48	77	Pass	29	55	84	Pass	29	47	76	Pass	26	39	65	Pass	28	54	82	Pass	29	43	72	Pass	27	63	90	Pass	24	63	87	26	66	92	27	61	88	PASS	81.30	8.38			
24M71R0028	28	51	79	Pass	27	48	75	Pass	27	58	85	Pass	25	45	70	Pass	27	58	85	Pass	27	47	74	Pass	26	59	85	Pass	25	63	88	26	65	91	27	64	91	PASS	82.30	8.58			
24M71R0031	27	42	69	Pass	26	39	65	Pass	25	61	86	Pass	26	40	66	Pass	25	58	83	Pass	27	46	73	Pass	29	55	84	Pass	25	64	89	28	65	93	27	66	93	PASS	80.10	8.15			
24M71R0032	26	30	56	Pass	26	43	69	Pass	26	60	86	Pass	24	39	63	Pass	24	49	73	Pass	26	44	70	Pass	28	55	83	Pass	20	60	80	25	55	80	26	53	79	PASS	73.90	7.75			
24M71R0033	25	27	52	Pass	25	41	66	Pass	26	46	72	Pass	16	37	53	Pass	19	52	71	Pass	17	35	52	Pass	27	58	85	Pass	21	61	82	24	55	79	23	54	77	PASS	68.90	7.19			
24M71R0034	27	30	57	Pass	25	46	71	Pass	28	58	86	Pass	20	38	58	Pass	18	37	55	Pass	19	43	62	Pass	27	54	81	Pass	21	58	79	24	53	77	26	44	70	PASS	69.60	7.40			
24M71R0035	22	28	50	Pass	18	31	49	Pass	23	39	62	Pass	21	29	50	Pass	15	57	72	Pass	21	38	59	Pass	24	55	79	Pass	17														

ANNAMACHARYA COLLEGE OF PHARMACY :: AUTONOMOUS:: RAJAMPET
B.PHARM I YEAR IISEM (R23), REGULAR/SUPPLEMENTARY EXAMINATIONS, SEPTEMBER/OCTOBER 2025

HT No	HAP-II (23BP201T)				POC-I (23BP202T)				BIOCHEM (23BP203T)				CAP (23BP204T)				EVS (23BP205T)				SPP (23BP206T)				HAP-II LAB (23BP201P)				POC-I LAB (23BP202P)				BIOCH LAB (23BP203P)				CAP LAB (23BP204P)				RESULT	%	SGPA
	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	Int	Ext	Tot	Int	Ext	Tot										
24M71R0046	26	43	69	Pass	20	60	80	Pass	24	54	78	Pass	25	44	69	Pass	26	67	93	Pass	28	39	67	Pass	23	58	81	Pass	17	50	67	25	55	80	24	36	60	PASS	74.40	7.92			
24M71R0047	27	40	67	Pass	22	38	60	Pass	26	54	80	Pass	23	41	64	Pass	26	53	79	Pass	27	40	67	Pass	25	60	85	Pass	18	43	61	25	64	89	20	36	56	PASS	70.80	7.56			
24M71R0048	27	49	76	Pass	26	49	75	Pass	28	31	59	Pass	28	39	67	Pass	25	59	84	Pass	25	40	65	Pass	27	65	92	Pass	25	63	88	27	67	94	26	61	87	PASS	78.70	7.88			
24M71R0049	28	41	69	Pass	26	46	72	Pass	27	55	82	Pass	24	42	66	Pass	25	32	57	Pass	24	46	70	Pass	26	61	87	Pass	19	58	77	24	61	85	20	29	49	PASS	71.40	7.67			
24M71R0050	26	45	71	Pass	23	54	77	Pass	26	47	73	Pass	24	38	62	Pass	24	38	62	Pass	26	37	63	Pass	26	59	85	Pass	15	56	71	23	66	89	22	31	53	PASS	70.60	7.69			
24M71R0051	26	38	64	Pass	19	53	72	Pass	24	57	81	Pass	24	45	69	Pass	26	45	71	Pass	27	50	77	Pass	24	57	81	Pass	19	42	61	23	59	82	20	50	70	PASS	72.80	7.94			
24M71R0052	23	27	50	Pass	18	50	68	Pass	25	46	71	Pass	25	45	70	Pass	24	53	77	Pass	22	44	66	Pass	25	57	82	Pass	18	52	70	23	63	86	24	55	79	PASS	71.90	7.54			
24M71R0053	28	38	66	Pass	26	33	59	Pass	27	50	77	Pass	27	41	68	Pass	27	59	86	Pass	26	46	72	Pass	25	62	87	Pass	20	55	75	25	61	86	22	60	82	PASS	75.80	7.67			
24M71R0054	29	45	74	Pass	26	54	80	Pass	28	57	85	Pass	29	49	78	Pass	27	64	91	Pass	28	48	76	Pass	26	66	92	Pass	20	63	83	28	63	91	25	61	86	PASS	83.60	8.81			
24M71R0055	20	26	46	Pass	19	31	50	Pass	20	44	64	Pass	19	39	58	Pass	24	43	67	Pass	21	34	55	Pass	23	54	77	Pass	17	42	59	23	57	80	21	36	57	PASS	61.30	6.37			
24M71R0056	29	48	77	Pass	23	55	78	Pass	28	50	78	Pass	28	41	69	Pass	25	62	87	Pass	26	41	67	Pass	27	66	93	Pass	21	56	77	27	64	91	26	63	89	PASS	80.60	7.98			
24M71R0057	23	31	54	Pass	19	31	50	Pass	24	39	63	Pass	21	35	56	Pass	23	47	70	Pass	20	37	57	Pass	23	61	84	Pass	13	54	67	24	58	82	21	53	74	PASS	65.70	6.83			
24M71R0058	23	27	50	Pass	22	40	62	Pass	26	43	69	Pass	25	39	64	Pass	20	32	52	Pass	25	40	65	Pass	21	54	75	Pass	17	46	63	24	56	80	21	41	62	PASS	64.20	6.94			
24M71R0059	25	44	69	Pass	24	30	54	Pass	28	52	80	Pass	25	35	60	Pass	20	41	61	Pass	23	35	58	Pass	27	55	82	Pass	19	42	61	24	58	82	22	55	77	PASS	68.40	7.33			
24M71R0060	19	26	45	Pass	14	26	40	Pass	19	12	31	Fail	20	28	48	Pass	16	36	52	Pass	16	31	47	Pass	23	44	67	Pass	15	35	50	21	47	68	20	46	66	FAIL	51.40	5.57			
24M71R0061	24	42	66	Pass	20	33	53	Pass	26	41	67	Pass	27	38	65	Pass	23	60	83	Pass	26	47	73	Pass	21	64	85	Pass	16	47	63	26	62	88	22	48	70	PASS	71.30	7.40			
24M71R0062	29	47	76	Pass	29	57	86	Pass	29	65	94	Pass	29	48	77	Pass	25	61	86	Pass	28	58	86	Pass	29	64	93	Pass	22	60	82	27	67	94	27	66	93	PASS	86.70	9.06			
24M71R0063	29	54	83	Pass	25	58	83	Pass	29	65	94	Pass	29	56	85	Pass	28	63	91	Pass	29	56	85	Pass	28	61	89	Pass	24	68	92	28	68	96	27	66	93	PASS	89.10	9.40			
24M71R0064	28	44	72	Pass	23	50	73	Pass	29	49	78	Pass	28	43	71	Pass	24	65	89	Pass	23	38	61	Pass	27	63	90	Pass	18	45	63	25	63	88	23	55	78	PASS	76.30	8.08			
24M71R0065	23	46	69	Pass	18	30	48	Pass	24	40	64	Pass	26	39	65	Pass	24	39	63	Pass	23	43	66	Pass	21	62	83	Pass	18	40	58	24	62	86	21	55	76	PASS	67.80	6.92			
24M71R0066	22	27	49	Pass	20	51	71	Pass	26	44	70	Pass	24	41	65	Pass	21	58	79	Pass	22	36	58	Pass	26	56	82	Pass	19	47	66	26	64	90	26	46	72	PASS	70.20	7.31			
24M71R0067	28	35	63	Pass	26	49	75	Pass	28	44	72	Pass	28	53	81	Pass	24	53	77	Pass	27	41	68	Pass	27	59	86	Pass	22	61	83	25	67	92	28	59	87	PASS	78.40	8.13			
24M71R0068	29	52	81	Pass	27	58	85	Pass	28	48	76	Pass	27	46	73	Pass	28	60	88	Pass	28	53	81	Pass	28	64	92	Pass	23	63	86	28	68	96	28	62	90	PASS	84.80	8.90			
24M71R0071	29	54	83	Pass	26	50	76	Pass	28	59	87	Pass	28	44	72	Pass	28	63	91	Pass	22	53	75	Pass	29	61	90	Pass	23	58	81	27	63	90	27	57	84	PASS	82.90	8.81			
24M71R0072	21	30	51	Pass	20	34	54	Pass	25	34	59	Pass	24	39	63	Pass	20	61	81	Pass	24	37	61	Pass	26	59	85	Pass	15	46	61	13	63	76	24	58	82	PASS	67.30	6.98			
24M71R0073	29	48	77	Pass	24	48	72	Pass	28	59	87	Pass	29	48	77	Pass	26	62	88	Pass	27	47	74	Pass	28	63	91	Pass	23	60	83	27	65	92	26	61	87	PASS	82.80	8.58			
24M71R0074	27	51	78	Pass	25	58	83	Pass	28	63	91	Pass	27	47	74	Pass	27	61	88	Pass	28	47	75	Pass	28	64	92	Pass	24	46	70	27	65	92	26	62	88	PASS	83.10	8.83			
24M71R0075	28	47	75	Pass	27	46	73	Pass	28	50	78	Pass	27	47	74	Pass	26	61	87	Pass	28	45	73	Pass	25	62	87	Pass	21	65	86	28	66	94	22	57	79	PASS	80.60	8.31			
24M71R0076	27	47	74	Pass	22	41	63	Pass	28	55	83	Pass	28	41	69	Pass	26	61	87	Pass	28	40	68	Pass	27	60	87	Pass	24	59	83	28	63	91	26	60	86	PASS	79.10	8.13			
24M71R0077	23	27	50	Pass	19	44	63	Pass	24	40	64	Pass	27	43	70	Pass	23	44	67	Pass	22	40	62	Pass	24	58	82	Pass	23	56	79	26	62	88	22	53	75	PASS	70.00	7.31			
24M71R0078	23	26	49	Pass	18	37	55	Pass	19	27	46	Pass	24	36	60	Pass	18	31	49	Pass	22	37	59	Pass	23	57	80	Pass	15	55	70	23	53	76	20	51	71	PASS	61.50	6.25			
24M71R0079	29	44	73	Pass	24	40	64	Pass	29	48	77	Pass	28	42	70	Pass	24	49	73	Pass	19	45	64	Pass	26	58	84	Pass	19	57	76	27	67	94	28	65	93	PASS	76.80	8.02			
24M71R0080	28	49	77	Pass	27	46	73	Pass	27	56	83	Pass	28	40	68	Pass	25	3																									