

ANNAMACHARYA COLLEGE OF PHARMACY :: AUTONOMOUS:: RAJAMPET
B.PHARM II YEAR II SEMESTER (R23) REGULAR EXAMINATIONS,AUGUST/SEPTEMBER2025

HT No	MC-I (23BP401T)				PP-II (23BP402T)				COL-I (23BP403T)				COG & PHYTO - I (23BP404T)				JURISP (23BP405T)				MC-I PRACTICAL (23BP401P)				PP-II PRACTICAL (23BP402P)				COL-I PRACTICAL (23BP403P)				COG&PHYTO- I PRACTICAL (23BP404P)				SYN.OF API SKILL-II (23BP405)				RESULT	%	SGPA
	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R							
23M71R0001	24	52	76	Pass	30	51	81	Pass	27	38	65	Pass	28	54	82	Pass	28	62	90	Pass	27	52	79	Pass	25	66	91	Pass	23	50	73	Pass	27	61	88	Pass	24	58	82	Pass	PASS	80.70	8.60
23M71R0002	17	39	56	Pass	19	37	56	Pass	18	25	43	Pass	20	39	59	Pass	16	20	36	Fail	22	47	69	Pass	27	58	85	Pass	25	50	75	Pass	25	50	75	Pass	19	58	77	Pass	FAIL	63.10	6.52
23M71R0003	23	37	60	Pass	27	43	70	Pass	26	53	79	Pass	25	46	71	Pass	23	28	51	Pass	24	55	79	Pass	27	59	86	Pass	25	49	74	Pass	26	54	80	Pass	23	59	82	Pass	PASS	73.20	7.81
23M71R0004	27	43	70	Pass	29	55	84	Pass	29	59	88	Pass	28	48	76	Pass	29	51	80	Pass	26	61	87	Pass	29	64	93	Pass	28	56	84	Pass	27	58	85	Pass	26	59	85	Pass	PASS	83.20	8.79
23M71R0005	28	57	85	Pass	30	64	94	Pass	29	57	86	Pass	29	64	93	Pass	28	47	75	Pass	28	57	85	Pass	28	66	94	Pass	28	55	83	Pass	28	63	91	Pass	26	58	84	Pass	PASS	87.00	9.27
23M71R0006	25	42	67	Pass	29	35	64	Pass	27	33	60	Pass	28	47	75	Pass	27	37	64	Pass	25	53	78	Pass	26	65	91	Pass	23	51	74	Pass	25	60	85	Pass	22	59	81	Pass	PASS	73.90	7.67
23M71R0008	20	36	56	Pass	27	47	74	Pass	24	32	56	Pass	22	29	51	Pass	16	25	41	Pass	20	36	56	Pass	24	56	80	Pass	23	49	72	Pass	23	53	76	Pass	18	54	72	Pass	PASS	63.40	6.75
23M71R0010	19	20	39	Fail	24	29	53	Pass	20	9	29	Fail	23	20	43	Fail	11	16	27	Fail	22	27	49	Pass	21	48	69	Pass	22	46	68	Pass	25	51	76	Pass	15	48	63	Pass	FAIL	51.60	6.54
23M71R0011	27	43	70	Pass	29	50	79	Pass	27	36	63	Pass	27	43	70	Pass	24	52	76	Pass	24	55	79	Pass	29	62	91	Pass	27	51	78	Pass	26	61	87	Pass	22	57	79	Pass	PASS	77.20	8.02
23M71R0012	29	58	87	Pass	29	56	85	Pass	29	50	79	Pass	29	55	84	Pass	28	50	78	Pass	27	60	87	Pass	27	63	90	Pass	28	57	85	Pass	29	64	93	Pass	27	66	93	Pass	PASS	86.10	8.92
23M71R0013	12	11	23	Fail	18	9	27	Fail	12	9	21	Fail	19	7	26	Fail	7	2	9	Fail	15	19	34	Fail	21	41	62	Pass	19	41	60	Pass	22	42	64	Pass	15	39	54	Pass	FAIL	38.00	6.69
23M71R0014	23	34	57	Pass	28	55	83	Pass	27	51	78	Pass	27	42	69	Pass	25	41	66	Pass	25	52	77	Pass	29	56	85	Pass	27	51	78	Pass	27	63	90	Pass	18	60	78	Pass	PASS	76.10	7.79
23M71R0015	17	18	35	Fail	22	48	70	Pass	14	45	59	Pass	17	29	46	Pass	13	18	31	Fail	15	44	59	Pass	22	49	71	Pass	27	50	77	Pass	25	54	79	Pass	15	51	66	Pass	FAIL	59.30	6.84
23M71R0016	23	42	65	Pass	27	35	62	Pass	24	38	62	Pass	23	34	57	Pass	9	46	55	Pass	18	29	47	Pass	24	53	77	Pass	21	48	69	Pass	24	54	78	Pass	15	46	61	Pass	PASS	63.30	6.77
23M71R0017	22	34	56	Pass	23	30	53	Pass	22	26	48	Pass	23	41	64	Pass	18	40	58	Pass	23	48	71	Pass	21	53	74	Pass	23	45	68	Pass	25	50	75	Pass	21	54	75	Pass	PASS	64.20	6.52
23M71R0018	20	17	37	Fail	20	29	49	Pass	18	25	43	Pass	21	13	34	Fail	17	36	53	Pass	21	34	55	Pass	23	45	68	Pass	13	47	60	Pass	24	50	74	Pass	22	51	73	Pass	FAIL	54.60	6.11
23M71R0019	27	53	80	Pass	29	48	77	Pass	29	31	60	Pass	26	39	65	Pass	22	41	63	Pass	22	53	75	Pass	23	62	85	Pass	23	58	81	Pass	25	58	83	Pass	21	59	80	Pass	PASS	74.90	8.02
23M71R0020	20	26	46	Pass	23	25	48	Pass	24	15	39	Fail	20	31	51	Pass	18	33	51	Pass	20	30	50	Pass	23	49	72	Pass	22	51	73	Pass	25	52	77	Pass	20	52	72	Pass	FAIL	57.90	6.23
23M71R0021	24	42	66	Pass	29	40	69	Pass	28	39	67	Pass	25	43	68	Pass	25	40	65	Pass	23	43	66	Pass	26	58	84	Pass	24	53	77	Pass	27	60	87	Pass	21	60	81	Pass	PASS	73.00	7.44
23M71R0022	23	44	67	Pass	26	47	73	Pass	26	34	60	Pass	24	45	69	Pass	18	48	66	Pass	16	31	47	Pass	26	53	79	Pass	26	47	73	Pass	25	52	77	Pass	17	55	72	Pass	PASS	68.30	7.29
23M71R0023	27	50	77	Pass	30	53	83	Pass	29	46	75	Pass	26	43	69	Pass	29	47	76	Pass	26	60	86	Pass	28	61	89	Pass	26	50	76	Pass	27	61	88	Pass	27	57	84	Pass	PASS	80.30	8.29
23M71R0024	22	53	75	Pass	29	60	89	Pass	25	56	81	Pass	26	43	69	Pass	18	54	72	Pass	22	44	66	Pass	29	62	91	Pass	24	49	73	Pass	27	55	82	Pass	22	58	80	Pass	PASS	77.80	8.38
23M71R0025	28	50	78	Pass	29	64	93	Pass	26	46	72	Pass	26	56	82	Pass	24	47	71	Pass	28	60	88	Pass	24	63	87	Pass	24	65	89	Pass	27	64	91	Pass	24	58	82	Pass	PASS	83.30	8.79
23M71R0026	25	42	67	Pass	28	48	76	Pass	26	34	60	Pass	22	49	71	Pass	20	15	35	Fail	25	55	80	Pass	26	58	84	Pass	23	52	75	Pass	26	58	84	Pass	25	57	82	Pass	FAIL	71.40	7.93
23M71R0027	27	45	72	Pass	29	30	59	Pass	26	30	56	Pass	25	48	73	Pass	21	36	57	Pass	28	48	76	Pass	23	56	79	Pass	23	58	81	Pass	28	58	86	Pass	24	59	83	Pass	PASS	72.20	7.35
23M71R0028	24	39	63	Pass	28	46	74	Pass	27	36	63	Pass	26	37	63	Pass	20	52	72	Pass	18	42	60	Pass	27	50	77	Pass	23	49	72	Pass	25	58	83	Pass	22	62	84	Pass	PASS	71.10	7.65
23M71R0029	27	48	75	Pass	29	56	85	Pass	28	35	63	Pass	25	58	83	Pass	25	40	65	Pass	26	52	78	Pass	28	57	85	Pass	24	52	76	Pass	28	63	91	Pass	24	60	84	Pass	PASS	78.50	8.25
23M71R0031	27	61	88	Pass	29	52	81	Pass	29	44	73	Pass	27	57	84	Pass	29	56	85	Pass	28	59	87	Pass	26	59	85	Pass	26	54	80	Pass	28	63	91	Pass	26	65	91	Pass	PASS	84.50	8.98
23M71R0032	28	54	82	Pass	28	49	77	Pass	27	39	66	Pass	28	56	84	Pass	27	55	82	Pass	27	62	89	Pass	29	65	94	Pass	27	57	84	Pass	27	62	89	Pass	27	61	88	Pass	PASS	83.50	8.60
23M71R0033	24	47	71	Pass	26	45	71	Pass	25	53	78	Pass	24	41	65	Pass	21	35	56	Pass	23	50	73	Pass	27	59	86	Pass	23	57	80	Pass	25	57	82	Pass	21	58	79	Pass	PASS	74.10	7.83
23M71R0034	20	17	37	Fail	23	43</																																					

ANNAMACHARYA COLLEGE OF PHARMACY :: AUTONOMOUS:: RAJAMPET
B.PHARM II YEAR II SEMESTER (R23) REGULAR EXAMINATIONS,AUGUST/SEPTEMBER2025

HT No	MC-I (23BP401T)				PP-II (23BP402T)				COL-I (23BP403T)				COG & PHYTO - I (23BP404T)				JURISP (23BP405T)				MC-I PRACTICAL (23BP401P)				PP-II PRACTICAL (23BP402P)				COL-I PRACTICAL (23BP403P)				COG&PHYTO- I PRACTICAL (23BP404P)				SYN.OF API SKILL-II (23BP405)				RESULT	%	SGPA
	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R	Int	Ext	Tot	R							
23M71R0050	25	37	62	Pass	28	37	65	Pass	27	28	55	Pass	26	55	81	Pass	28	41	69	Pass	23	53	76	Pass	29	61	90	Pass	26	50	76	Pass	27	63	90	Pass	22	62	84	Pass	PASS	74.80	7.69
23M71R0051	24	32	56	Pass	24	25	49	Pass	19	20	39	Fail	19	43	62	Pass	21	25	46	Pass	23	46	69	Pass	25	51	76	Pass	25	52	77	Pass	24	63	87	Pass	24	51	75	Pass	FAIL	63.60	6.55
23M71R0052	27	47	74	Pass	25	50	75	Pass	23	47	70	Pass	25	56	81	Pass	26	44	70	Pass	27	49	76	Pass	28	60	88	Pass	28	51	79	Pass	25	62	87	Pass	26	59	85	Pass	PASS	78.50	8.31
23M71R0053	28	39	67	Pass	26	62	88	Pass	25	46	71	Pass	24	37	61	Pass	27	44	71	Pass	24	57	81	Pass	29	57	86	Pass	22	50	72	Pass	27	60	87	Pass	26	59	85	Pass	PASS	76.90	8.13
23M71R0054	26	39	65	Pass	24	50	74	Pass	25	42	67	Pass	24	43	67	Pass	28	38	66	Pass	23	54	77	Pass	29	57	86	Pass	27	53	80	Pass	28	59	87	Pass	28	63	91	Pass	PASS	76.00	7.79
23M71R0055	24	42	66	Pass	20	42	62	Pass	25	46	71	Pass	20	45	65	Pass	26	33	59	Pass	24	48	72	Pass	25	52	77	Pass	25	54	79	Pass	29	60	89	Pass	28	55	83	Pass	PASS	72.30	7.48
23M71R0056	29	52	81	Pass	27	48	75	Pass	28	41	69	Pass	28	60	88	Pass	29	53	82	Pass	27	51	78	Pass	29	58	87	Pass	25	53	78	Pass	29	64	93	Pass	27	65	92	Pass	PASS	82.30	8.56
23M71R0057	29	44	73	Pass	24	53	77	Pass	22	43	65	Pass	24	55	79	Pass	25	43	68	Pass	28	59	87	Pass	30	67	97	Pass	28	61	89	Pass	27	65	92	Pass	29	61	90	Pass	PASS	81.70	8.23
23M71R0058	26	51	77	Pass	25	41	66	Pass	26	28	54	Pass	27	42	69	Pass	29	36	65	Pass	27	56	83	Pass	30	63	93	Pass	28	55	83	Pass	27	67	94	Pass	29	59	88	Pass	PASS	77.20	7.73
23M71R0059	27	51	78	Pass	24	41	65	Pass	26	40	66	Pass	28	44	72	Pass	29	42	71	Pass	27	55	82	Pass	29	60	89	Pass	28	55	83	Pass	27	65	92	Pass	28	59	87	Pass	PASS	78.50	8.06
23M71R0060	28	56	84	Pass	29	48	77	Pass	30	42	72	Pass	28	64	92	Pass	29	39	68	Pass	27	57	84	Pass	28	63	91	Pass	26	61	87	Pass	28	64	92	Pass	29	59	88	Pass	PASS	83.50	8.69
23M71R0061	29	61	90	Pass	29	60	89	Pass	29	47	76	Pass	28	54	82	Pass	29	55	84	Pass	29	55	84	Pass	28	66	94	Pass	28	59	87	Pass	28	67	95	Pass	29	58	87	Pass	PASS	86.80	9.12
23M71R0063	29	59	88	Pass	27	60	87	Pass	29	54	83	Pass	29	57	86	Pass	27	63	90	Pass	27	54	81	Pass	28	59	87	Pass	26	55	81	Pass	28	67	95	Pass	28	55	83	Pass	PASS	86.10	9.17
23M71R0064	28	55	83	Pass	26	59	85	Pass	27	53	80	Pass	27	62	89	Pass	29	51	80	Pass	25	52	77	Pass	28	62	90	Pass	27	55	82	Pass	27	67	94	Pass	28	62	90	Pass	PASS	85.00	9.13
23M71R0065	27	43	70	Pass	24	57	81	Pass	27	50	77	Pass	17	57	74	Pass	23	40	63	Pass	24	52	76	Pass	28	58	86	Pass	26	62	88	Pass	27	63	90	Pass	26	60	86	Pass	PASS	79.10	8.35
23M71R0066	26	19	45	Fail	20	18	38	Fail	23	25	48	Pass	19	26	45	Pass	22	18	40	Fail	28	47	75	Pass	27	55	82	Pass	23	51	74	Pass	28	61	89	Pass	25	56	81	Pass	FAIL	61.70	6.93
23M71R0068	29	36	65	Pass	23	39	62	Pass	24	37	61	Pass	27	58	85	Pass	28	47	75	Pass	27	54	81	Pass	28	56	84	Pass	27	55	82	Pass	28	64	92	Pass	27	61	88	Pass	PASS	77.50	8.02
23M71R0069	26	46	72	Pass	24	42	66	Pass	26	37	63	Pass	27	62	89	Pass	29	39	68	Pass	26	54	80	Pass	28	59	87	Pass	27	54	81	Pass	28	64	92	Pass	26	63	89	Pass	PASS	78.70	8.06
23M71R0070	20	31	51	Pass	23	32	55	Pass	21	27	48	Pass	23	36	59	Pass	23	31	54	Pass	24	47	71	Pass	27	60	87	Pass	23	53	76	Pass	25	59	84	Pass	23	60	83	Pass	PASS	66.80	6.65
23M71R0071	28	55	83	Pass	27	53	80	Pass	27	43	70	Pass	29	52	81	Pass	29	47	76	Pass	26	52	78	Pass	28	63	91	Pass	27	64	91	Pass	27	61	88	Pass	28	63	91	Pass	PASS	82.90	8.87
23M71R0072	28	58	86	Pass	25	55	80	Pass	26	52	78	Pass	28	57	85	Pass	29	49	78	Pass	26	51	77	Pass	29	59	88	Pass	26	62	88	Pass	28	64	92	Pass	28	59	87	Pass	PASS	83.90	8.73
23M71R0073	26	45	71	Pass	26	61	87	Pass	27	49	76	Pass	28	55	83	Pass	29	41	70	Pass	27	53	80	Pass	28	65	93	Pass	25	64	89	Pass	28	65	93	Pass	29	60	89	Pass	PASS	83.10	8.69
23M71R0075	28	38	66	Pass	24	62	86	Pass	28	51	79	Pass	27	48	75	Pass	29	38	67	Pass	29	54	83	Pass	27	62	89	Pass	26	57	83	Pass	28	64	92	Pass	29	64	93	Pass	PASS	81.30	8.33
23M71R0076	27	48	75	Pass	27	44	71	Pass	27	41	68	Pass	28	46	74	Pass	29	45	74	Pass	28	53	81	Pass	29	65	94	Pass	27	53	80	Pass	29	63	92	Pass	26	56	82	Pass	PASS	79.10	8.27
23M71R0077	23	28	51	Pass	21	36	57	Pass	23	32	55	Pass	27	44	71	Pass	20	25	45	Pass	25	51	76	Pass	28	59	87	Pass	23	56	79	Pass	27	63	90	Pass	26	52	78	Pass	PASS	68.90	6.90
23M71R0078	22	36	58	Pass	21	39	60	Pass	20	28	48	Pass	22	36	58	Pass	19	35	54	Pass	22	48	70	Pass	28	57	85	Pass	25	53	78	Pass	20	63	83	Pass	25	54	79	Pass	PASS	67.30	6.73
23M71R0079	24	29	53	Pass	25	43	68	Pass	24	44	68	Pass	25	45	70	Pass	25	44	69	Pass	23	54	77	Pass	29	58	87	Pass	25	53	78	Pass	23	66	89	Pass	26	53	79	Pass	PASS	73.80	7.38
23M71R0080	27	43	70	Pass	27	41	68	Pass	28	43	71	Pass	24	59	83	Pass	25	44	69	Pass	26	58	84	Pass	29	61	90	Pass	28	56	84	Pass	29	67	96	Pass	26	62	88	Pass	PASS	80.30	8.27
23M71R0081	27	51	78	Pass	25	51	76	Pass	28	39	67	Pass	28	50	78	Pass	22	52	74	Pass	26	57	83	Pass	29	62	91	Pass	27	58	85	Pass	29	65	94	Pass	29	61	90	Pass	PASS	81.60	8.35
23M71R0082	22	39	61	Pass	22	30	52	Pass	22	41	63	Pass	27	28	55	Pass	20	30	50	Pass	21	46	67	Pass	28	48	76	Pass	24	50	74	Pass	28	60	88	Pass	27	60	87	Pass	PASS	67.30	7.00
23M71R0083	19	15	34	Fail	20	27																																					