

**ANNAMACHARYA COLLEGE OF PHARMACY :: RAJAMPET
(AUTONOMOUS)**

B.Pharm III Year I Semester (R23) Regular Examinations, January 2026

HT No	MC-II (23BP501T)				IP-I (23BP502T)				COL-II (23BP503T)				OG&PHYTO-II (23BP504)				PHBIOTECH (23BP505T)				PV (23BP0E501A)				IP-I LAB (23BP502P)				COL-II LAB (23BP503P)				OG & PHYTO-II LAB (23BP504)				S/SS & EMP (23BP505)				HWSM (23BP506)				CS INTERNSHIP (23BP507)				Result	%	Rank
	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr							
23M71R0051	22	13	35	F	25	39	64	C	21	32	53	D	25	46	71	B	16	42	58	D	20	27	47	E	24	56	80	A	22	62	84	A	25	63	88	A	26	47	73	B	15	0	15	P	-	46	46	E	Fail	66.6	82
23M71R0052	27	31	58	D	25	40	65	C	22	41	63	C	24	47	71	B	19	45	64	C	26	34	60	C	27	63	90	S	23	62	85	A	27	62	89	A	27	42	69	C	26	0	26	P	-	45	45	E	Pass	72.3	71
23M71R0053	29	36	65	C	26	39	65	C	24	48	72	B	26	52	78	B	25	44	69	C	26	42	68	C	28	64	92	S	25	62	87	A	25	61	86	A	25	41	66	C	24	0	24	P	-	40	40	E	Pass	75.0	59
23M71R0054	27	41	68	C	24	40	64	C	25	44	69	C	26	51	77	B	19	41	60	C	27	29	56	D	27	57	84	A	26	66	92	S	27	62	89	A	27	51	78	B	23	0	23	P	-	45	45	E	Pass	74.5	64
23M71R0055	26	45	71	B	26	29	55	D	28	48	76	B	23	47	70	B	16	43	59	D	22	44	66	C	28	61	89	A	23	68	91	S	28	58	86	A	25	48	73	B	20	0	20	P	-	46	46	E	Pass	74.5	64
23M71R0056	29	57	86	A	26	46	72	B	29	53	82	A	27	59	86	A	27	46	73	B	27	55	82	A	28	63	91	S	27	68	95	S	27	64	91	S	28	54	82	A	26	0	26	P	-	46	46	E	Pass	84.4	11
23M71R0057	30	50	80	A	26	54	80	A	28	58	86	A	27	61	88	A	27	46	73	B	29	48	77	B	29	65	94	S	25	68	93	S	28	65	93	S	28	55	83	A	25	0	25	P	-	48	48	E	Pass	85.2	7
23M71R0058	29	48	77	B	25	32	57	D	27	47	74	B	26	53	79	B	25	47	72	B	28	45	73	B	29	66	95	S	25	67	92	S	28	66	94	S	29	63	92	S	26	0	26	P	-	48	48	E	Pass	81.2	26
23M71R0059	27	53	80	A	25	39	64	C	25	51	76	B	26	54	80	A	27	45	72	B	27	45	72	B	27	63	90	S	23	66	89	A	27	65	92	S	27	63	90	S	26	0	26	P	-	45	45	E	Pass	81.0	28
23M71R0060	29	58	87	A	26	47	73	B	29	53	82	A	28	54	82	A	27	45	72	B	29	56	85	A	28	58	86	A	28	67	95	S	29	65	94	S	26	56	82	A	27	0	27	P	-	48	48	E	Pass	84.4	11
23M71R0061	29	57	86	A	26	52	78	B	29	53	82	A	27	61	88	A	28	49	77	B	28	47	75	B	28	62	90	S	27	68	95	S	29	64	93	S	26	52	78	B	26	0	26	P	-	46	46	E	Pass	84.6	10
23M71R0063	29	62	91	S	27	43	70	B	26	54	80	A	28	60	88	A	28	51	79	B	29	53	82	A	29	64	93	S	25	68	93	S	28	64	92	S	27	59	86	A	26	0	26	P	-	47	47	E	Pass	85.8	5
23M71R0064	27	51	78	B	27	41	68	C	29	49	78	B	27	55	82	A	26	47	73	B	26	49	75	B	28	62	90	S	24	67	91	S	28	62	90	S	28	63	91	S	23	0	23	P	-	46	46	E	Pass	82.1	21
23M71R0065	27	49	76	B	26	38	64	C	26	48	74	B	27	54	81	A	21	41	62	C	25	41	66	C	26	60	86	A	25	66	91	S	27	64	91	S	28	55	83	A	21	0	21	P	-	44	44	E	Pass	77.9	49
23M71R0066	24	27	51	D	24	30	54	D	19	36	55	D	24	39	63	C	20	36	56	D	24	38	62	C	24	54	78	B	20	65	85	A	26	61	87	A	25	50	75	B	20	0	20	P	-	43	43	E	Pass	67.5	81
23M71R0067	25	49	74	B	26	40	66	C	26	50	76	B	26	49	75	B	21	46	67	C	19	43	62	C	29	63	92	S	23	67	90	S	27	63	90	S	28	52	80	A	21	0	21	P	-	45	45	E	Pass	77.8	50
23M71R0068	27	51	78	B	23	38	61	C	27	52	79	B	27	56	83	A	24	46	70	B	27	40	67	C	27	58	85	A	22	64	86	A	28	63	91	S	27	54	81	A	25	0	25	P	-	45	45	E	Pass	78.7	44
23M71R0069	28	50	78	B	24	34	58	D	27	43	70	B	27	54	81	A	25	47	72	B	27	52	79	B	26	63	89	A	25	67	92	S	27	64	91	S	27	57	84	A	24	0	24	P	-	44	44	E	Pass	79.8	38
23M71R0070	22	35	57	D	24	33	57	D	21	34	55	D	22	44	66	C	15	41	56	D	21	35	56	D	28	60	88	A	25	65	90	S	27	62	89	A	28	61	89	A	24	0	24	P	-	45	45	E	Pass	71.2	73
23M71R0071	29	48	77	B	25	47	72	B	28	46	74	B	26	60	86	A	26	48	74	B	27	40	67	C	26	62	88	A	24	64	88	A	29	63	92	S	28	57	85	A	23	0	23	P	-	45	45	E	Pass	80.8	30
23M71R0072	28	48	76	B	26	41	67	C	27	49	76	B	27	58	85	A	27	49	76	B	27	48	75	B	27	63	90	S	23	67	90	S	27	63	90	S	25	52	77	B	26	0	26	P	-	44	44	E	Pass	80.6	32
23M71R0073	27	38	65	C	25	40	65	C	22	48	70	B	26	54	80	A	25	44	69	C	27	42	69	C	28	61	89	A	22	67	89	A	27	63	90	S	25	57	82	A	24	0	24	P	-	46	46	E	Pass	77.5	52
23M71R0075	28	36	64	C	26	42	68	C	26	53	79	B	27	51	78	B	24	42	66	C	28	56	84	A	29	62	91	S	27	67	94	S	29	66	95	S	28	62	90	S	23	0	23	P	-	46	46	E	Pass	81.4	25
23M71R0076	28	46	74	B	27	43	70	B	25	49	74	B	27	46	73	B	20	47	67	C	29	50	79	B	29	64	93	S	28	67	95	S	28	64	92	S	25	51	76	B	26	0	26	P	-	45	45	E	Pass	79.8	38
23M71R0077	26	33	59	D	22	38	60	C	22	38	60	C	25	46	71	B	17	38	55	D	18	36	54	D	28	60	88	A	25	61	86	A	28	65	93	S	26	48	74	B	20	0	20	P	-	44	44	E	Pass	70.9	74
23M71R0078	24	40	64	C	21	33	54	D	23	46	69	C	23	48	71	B	14	25	39	F	20	37	57	D	26	60	86	A	22	67	89	A	27	60	87	A	25	52	77	B	23	0	23	P	-	43	43	E	Fail	70.1	76
23M71R0079	25	26	51	D	28	38	66	C	25	52	77	B	27	44	71	B	19	44	63	C	22	34	56	D	29	62	91	S	28	62	90	S	28	62	90	S	27	61	88	A	25	0	25	P	-	45	45	E	Pass	75.0	59
23M71R0080	28	54	82	A	27	45	72	B	24	54	78	B	28	56	84	A	27	39	66	C	26	53	79	B	29	65	94	S	27	68	95	S	27	64	91	S	26	59	85	A	27	0	27	P	-	47	47	E	Pass	83.1	16
23M71R0081	29	48	77	B	26	42	68	C	27	48	75	B	27	61	88	A	27	47	74	B	27	42	69	C	29	66	95	S	29	67	96	S	28	65	93	S	29	61	90	S	24	0	24	P	-	48	48	E	Pass	83.1	16
23M71R0082	27	27	54	D	23	29	52	D	22	36	58	D	24	58	82	A	22	46	68	C	21	47	68	C	28	63	91	S	26	62	88	A	27	62	89	A	28	54	82	A	20	0	20	P	-	43	43	E	Pass	73.8	67
23M71R0083	25	26	51	D	20	19	39	F	21	37	58	D	20	46	66	C	14	36	50	D	17	28	45	E	27	58	85	A	24	55	79	B	26	60	86	A	25	47	72	B	19	0	19	P	-	43	43	E	Fail	64.2	84
23M71R0084	28	42	70	B	27	44	71	B	27	45	72	B	27	50	77	B	26	49	75	B	25	44	69	C	29	65	94	S	28	68	96	S	28	64	92	S	26	60	86	A	27	0	27	P	-	46	46	E	Pass	80.8	30
23M71R0085	20	34	54	D	16	26	42	E	20	38	58	D	23	52	75	B	17	38	55	D	20	46	66	C	28	61	89	A	26	61	87	A	26	64	90	S	25	48	73	B	18	0	18	P	-	44	44	E	Pass	69.8	77
23M71R0087	26	26	52	D	21																																														

ANNAMACHARYA COLLEGE OF PHARMACY :: RAJAMPET
(AUTONOMOUS)
B.Pharm III Year I Semester (R23) Regular Examinations, January 2026

HT No	MC-II (23BP501T)				IP-I (23BP502T)				COL-II (23BP503T)				LOG&PHYTO-II (23BP504)				PHBIOTECH (23BP505T)				PV (23BPOE501A)				IP-I LAB (23BP502P)				COL-II LAB (23BP503P)				LOG & PHYTO-II LAB (23BP504)				S/SS & EMP (23BP505)				HWSM (23BP506)				CS INTERNSHIP (23BP507)				Result	%	Rank
	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr	Int	Ext	Tot	Gr							
23M71R0001	27	46	73	B	28	43	71	B	28	43	71	B	24	60	84	A	26	48	74	B	27	43	70	B	26	61	87	A	27	66	93	S	29	54	83	A	26	0	26	P	-	42	42	E	Pass	80.0	36				
23M71R0003	26	42	68	C	27	41	68	C	27	50	77	B	26	52	78	B	22	46	68	C	27	46	73	B	27	27	54	D	28	68	96	S	27	62	89	A	27	53	80	A	26	0	26	P	-	47	47	E	Pass	76.0	56
23M71R0004	24	55	79	B	29	39	68	C	28	49	77	B	27	52	79	B	26	43	69	C	29	48	77	B	28	61	89	A	28	68	96	S	29	64	93	S	27	57	84	A	28	0	28	P	-	41	41	E	Pass	81.1	27
23M71R0005	30	61	91	S	30	47	77	B	29	53	82	A	28	57	85	A	27	46	73	B	29	49	78	B	28	63	91	S	29	68	97	S	29	66	95	S	24	44	68	C	26	0	26	P	-	47	47	E	Pass	84.2	13
23M71R0006	26	51	77	B	29	44	73	B	28	48	76	B	27	52	79	B	24	49	73	B	27	49	76	B	25	60	85	A	28	61	89	A	27	66	93	S	27	56	83	A	25	0	25	P	-	42	42	E	Pass	80.6	32
23M71R0008	24	47	71	B	22	34	56	D	26	44	70	B	23	52	75	B	22	43	65	C	22	32	54	D	25	58	83	A	28	64	92	S	26	58	84	A	25	45	70	B	25	0	25	P	-	41	41	E	Pass	72.5	70
23M71R0010	20	9	29	F	24	25	49	E	26	32	58	D	21	32	53	D	17	46	63	C	22	30	52	D	25	45	70	B	25	60	85	A	23	56	79	B	24	50	74	B	21	0	21	P	-	41	41	E	Fail	62.2	85
23M71R0011	28	40	68	C	29	42	71	B	28	48	76	B	27	58	85	A	25	45	70	B	27	34	61	C	28	60	88	A	28	67	95	S	26	62	88	A	27	56	83	A	24	0	24	P	-	40	40	E	Pass	78.6	45
23M71R0012	30	51	81	A	29	43	72	B	29	52	81	A	28	59	87	A	26	49	75	B	28	42	70	B	27	63	90	S	29	68	97	S	28	67	95	S	24	60	84	A	26	0	26	P	-	47	47	E	Pass	83.7	14
23M71R0013	11	2	13	F	18	15	33	F	16	15	31	F	13	6	19	F	11	27	38	F	13	25	38	F	24	45	69	C	25	55	80	A	20	53	73	B	23	40	63	C	23	0	23	P	-	44	44	E	Fail	47.7	91
23M71R0014	24	34	58	D	28	46	74	B	27	46	73	B	25	53	78	B	24	45	69	C	22	42	64	C	25	62	87	A	28	65	93	S	28	63	91	S	25	52	77	B	24	0	24	P	-	40	40	E	Pass	76.6	54
23M71R0015	25	27	52	D	27	43	70	B	21	38	59	D	20	28	48	E	5	44	49	E	Ab	41	41	E	23	45	68	C	25	63	88	A	22	56	78	B	24	46	70	B	Ab	0	0	Ab	-	0	0	Ab	Fail	59.3	87
23M71R0016	24	35	59	D	25	31	56	D	26	42	68	C	22	46	68	C	23	44	67	C	26	37	63	C	23	49	72	B	25	60	85	A	23	58	81	A	23	41	64	C	21	0	21	P	-	44	44	E	Pass	69.2	78
23M71R0017	25	37	62	C	26	26	52	D	25	37	62	C	22	43	65	C	21	47	68	C	27	44	71	B	20	50	70	B	28	60	88	A	20	59	79	B	28	50	78	B	26	0	26	P	-	44	44	E	Pass	70.4	75
23M71R0018	20	8	28	F	23	26	49	E	20	26	46	E	22	43	65	C	17	42	59	D	22	31	53	D	15	53	68	C	26	62	88	A	23	55	78	B	24	47	71	B	19	0	19	P	-	44	44	E	Fail	61.8	86
23M71R0019	28	57	85	A	29	47	76	B	27	53	80	A	24	48	72	B	26	47	73	B	23	52	75	B	28	29	57	D	28	67	95	S	26	60	86	A	24	52	76	B	23	0	23	P	-	44	44	E	Pass	78.0	47
23M71R0020	21	7	28	F	25	32	57	D	17	11	28	F	24	30	54	D	20	42	62	C	21	26	47	E	23	27	50	D	27	46	73	B	23	56	79	B	22	46	68	C	20	0	20	P	-	40	40	E	Fail	55.8	88
23M71R0021	23	33	56	D	28	47	75	B	27	43	70	B	25	58	83	A	23	50	73	B	28	30	58	D	29	57	86	A	27	65	92	S	25	57	82	A	27	55	82	A	25	0	25	P	-	40	40	E	Pass	75.9	57
23M71R0022	25	30	55	D	27	36	63	C	25	45	70	B	23	46	69	C	22	46	68	C	20	32	52	D	22	55	77	B	26	55	81	A	20	57	77	B	24	46	70	B	25	0	25	P	-	42	42	E	Pass	69.0	79
23M71R0023	28	51	79	B	28	40	68	C	27	51	78	B	26	59	85	A	26	48	74	B	27	48	75	B	27	60	87	A	28	68	96	S	25	64	89	A	26	60	86	A	28	0	28	P	-	42	42	E	Pass	81.8	23
23M71R0024	25	55	80	A	29	43	72	B	27	51	78	B	24	54	78	B	24	48	72	B	28	43	71	B	27	57	84	A	29	68	97	S	24	64	88	A	24	51	75	B	28	0	28	P	-	43	43	E	Pass	79.8	38
23M71R0025	27	63	90	S	29	45	74	B	28	50	78	B	26	57	83	A	26	46	72	B	25	52	77	B	26	62	88	A	29	68	97	S	27	62	89	A	24	53	77	B	26	0	26	P	-	41	41	E	Pass	82.5	18
23M71R0026	21	49	70	B	28	46	74	B	27	49	76	B	26	60	86	A	21	49	70	B	25	46	71	B	29	63	92	S	27	66	93	S	27	66	93	S	25	53	78	B	25	0	25	P	-	40	40	E	Pass	80.3	35
23M71R0027	26	44	70	B	28	34	62	C	27	45	72	B	25	46	71	B	24	41	65	C	26	38	64	C	28	55	83	A	27	64	91	S	29	64	93	S	24	47	71	B	22	0	22	P	-	41	41	E	Pass	74.6	63
23M71R0028	22	53	75	B	28	36	64	C	27	45	72	B	25	52	77	B	25	43	68	C	26	33	59	D	25	51	76	B	27	61	88	A	27	62	89	A	24	54	78	B	23	0	23	P	-	40	40	E	Pass	74.9	62
23M71R0029	29	55	84	A	29	49	78	B	28	50	78	B	26	46	72	B	27	45	72	B	28	49	77	B	29	60	89	A	28	66	94	S	28	65	93	S	26	56	82	A	27	0	27	P	-	40	40	E	Pass	81.8	23
23M71R0031	30	59	89	A	28	57	85	A	28	52	80	A	27	60	87	A	26	49	75	B	26	50	76	B	29	55	84	A	28	68	96	S	27	67	94	S	26	56	82	A	27	0	27	P	-	47	47	E	Pass	85.2	7
23M71R0032	28	45	73	B	29	41	70	B	28	52	80	A	27	54	81	A	27	47	74	B	26	29	55	D	29	61	90	S	28	67	95	S	28	63	91	S	26	53	79	B	28	0	28	P	-	40	40	E	Pass	78.9	43
23M71R0033	25	35	60	C	26	37	63	C	26	46	72	B	24	53	77	B	23	44	67	C	25	38	63	C	27	61	88	A	26	61	87	A	27	60	87	A	24	47	71	B	19	0	19	P	-	43	43	E	Pass	74.1	66
23M71R0034	24	41	65	C	26	39	65	C	28	41	69	C	23	50	73	B	23	47	70	B	23	41	64	C	27	50	77	B	28	61	89	A	28	63	91	S	23	46	69	C	20	0	20	P	-	43	43	E	Pass	73.8	67
23M71R0035	26	55	81	A	27	44	71	B	28	54	82	A	27	53	80	A	25	45	70	B	27	48	75	B	28	58	86	A	28	66	94	S	26	63	89	A	24	56	80	A	24	0	24	P	-	42	42	E	Pass	81.0	28
23M71R0036	25	49	74	B	25	45	70	B	27	46	73	B	23	46	69	C	24	44	68	C	22	40	62	C	28	54	82	A	29	68	97	S	27	64	91	S	23	51	74	B	23	0	23	P	-	40	40	E	Pass	76.2	55
23M71R0037	27	56	83	A	28	47	75	B	27	47	74	B	25	48	73	B	27	46	73	B	25	48	73	B	29	56	85	A	28	64	92	S	26	66	92	S	25	58	83	A	25	0	25	P	-	43	43	E	Pass	80.6	32
23M71R0038	16	26	42	E	18	19	37	F	16	31	47	E	19	30	49	E	1																																		